	Type	L #	Hits	Search Text	DBs
1	BRS	L1	932	(breakdown near layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	3748	(breakdown near2 layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	6717	(breakdown near3 layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	9270	(breakdown near4 layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
5	BRS	L5	11298	(breakdown near5 layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	4	(breakdown near5 layer) near25 (phase near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	264	(breakdown near5 layer) near25 (memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	185	(breakdown near3 layer) near25 (memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
9	BRS	L9	12	((breakdown near3 layer) near25 (memory)) near15 (occur$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	31	((breakdown near3 layer) near25 (memory)) near15 (region or area or portion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	0	(phase near memory) near15 (breakdown)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	6	(phase near5 memory) near15 (breakdown)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	0	(phase near5 memory) near15 (break-down)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L14	2	(phase near5 memory) near15 (break near3 down)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L15	1959	(phase near5 memory) near15 (cha$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L16	1423	(phase near3 memory) near15 (cha$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
17	BRS	L17	288	(phase near memory) near15 (cha$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L18	5668	(phase near change near material)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L19	9	(phase near change near material) near25 (breakdown)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L20	61	(phase near change) near25 (breakdown)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
21	BRS	L21	21	(phase near3 change) near25 (break near down)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L22	2	(phase near3 change) near25 (break-down)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	L23	0	(phase near5 memory) near25 (break-down)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	L24	8	(phase near5 memory) near25 (breakdown)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
25	BRS	L25	78	(breakdown near5 layer) and (phase near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB